## Summary of Immunization Requirements for School, Daycare & Head Start (Refer to 902 KAR 2:060 for details on exceptions and exemptions)

If a child is this age	These immunizations are required for attendance
<3 months	None
≥3 - <5 months	1 DTaP or DTP; 1 IPV or OPV; 1 Hib; 1 Hep B
≥5 - <7 months	2 DTaP or DTP, or combination of the two; 2 IPV or OPV, or combination of the two; 2 Hib; 2 Hep B
≥7 - <12 months	3 DTaP or DTP, or combination of the two; 2 OPV or IPV, or combination of the two; 3 Hib <sup>1</sup> ; 2 Hep B
≥12 - <16 months	3 DTaP or DTP, or combination of the two; 2 OPV or IPV, or combination of the two; 3 Hib <sup>1,2</sup> ; 3 Hep B
≥16 - <19 months	4 DTaP or DTP, or a combination of the two; 2 OPV or IPV, or a combination of the two; 4 Hib <sup>1,2</sup> ; 3 Hep B; 1 MMR ≥ 12 months of age
≥19 - 49 months	4 DTaP or DTP, or a combination of the two; 3 OPV or IPV, or a combination of the two; 4 Hib <sup>1,2</sup> ; 1MMR ≥12 months of age; 1 Varicella <sup>3</sup> ; 3 Hep B
≥49 months - <5 years	4 DTaP or DTP, or a combination of the two; 3 OPV or IPV, or a combination of the two; 4 Hib <sup>1,2</sup> ; 1 MMR ≥ 12 months of age & 2 <sup>nd</sup> measles containing vaccine; 3 Hep B; 1 Varicella <sup>3</sup>
≥ 5 years - <7 years	5 DTaP or DTP <sup>4</sup> , or a combination of the two; 4 OPV or IPV <sup>5</sup> , or a combination of the two; 1 MMR ≥ 12 months of age & 2 <sup>nd</sup> measles containing vaccine; 3 Hep B; 1 Varicella <sup>3</sup>
≥7 years	5 DTaP or DTP $^4$ , or combination of the two; 1 dose of Td or Tdap $^7$ given at 11-12 years of age, if at least five (5) years has elapsed since the last dose of DTaP, DTP, TT, DT or Td; 4 OPV or IPV $^5$ , or combinations of the two; 1 MMR $\geq$ 12 months of age & 2 <sup>nd</sup> measles containing vaccine for children born 10/01/90 or later; 3 Hep B $^6$ for those born 10/1/92 or later
At 6 <sup>th</sup> grade entry	1 MMR ≥ 12 months of age and 2 <sup>nd</sup> measles containing vaccine; 3 Hep B <sup>6</sup>
≥10 years since last DTaP, DTP or To	1 Td or Tdap <sup>7</sup>

## **Notes:**

- 1. If first two doses of Hib vaccine were meningococcal protein conjugate, the third dose may be omitted and the child shall be considered as having received three (3) doses.
- 2. If Hib vaccine has been administered on or after 15 months of age, the child is not required to have further doses.
- 3. One (1) dose of varicella, unless a parent, guardian, or physician states that the child has had chickenpox disease.
- 4. If the 4<sup>th</sup> dose of DT, DTP or DTaP was administered on or after the fourth birthday, the fifth dose shall not be required.
- 5. If the 3<sup>rd</sup> dose of IPV or OPV was administered on or after the fourth birthday, the fourth dose shall not be required.
- 6. Children 11-15 years of age may receive an alternate two-dose series consisting of two 10 mcg doses of Merck's RecombivaxHB separated by 4-6 months.
- 7. Tdap may be used for the booster dose at 11-12 years of age in place of Td. Tdap is a one time dose and should not be used for the primary series. Two brands are available. Please review your product for the appropriate age for your brand.